


ELECTRIC FAN



**XIONG SHENG** 雄生  
*Home Appliances*

**Cixi Xiongsheng Electrical Appliances CO.,Ltd.**

Address: West Industrial District of Guanhaiwei town, Cixi, Zhejiang province, China. Mobile Phone: 86-13706748566. Tel: 86-574-63630098  
Fax: 86-574-63630101. Web: <http://www.chinaxiongwei.com>. E-mail: [manager@chinaxiongwei.com](mailto:manager@chinaxiongwei.com). Whatsapp: 15990220055  
Skype: jiaxiong 19931101. QQ: 1195271540



The pictures are for your reference, if there is any discrepancy between picture and actual product, please adhere to the actual product instead. All rights reserved.

**COMPANY PROFILE** >>

**XIONG SN** Electrical Appliances Co.,Ltd is located in the mini appliances manufacturing base of Cixi, China. Established in 1998, the company is rapidly developing and being a leader in manufacturing Air-washer, Dehumidifier, Humidifier and Kitchen. The company presently possess standard workshop of 38,000m<sup>2</sup>, 80 senior professional developing engineers and technicians, 500 employees with high quality.

*Home Appliances*


**CONTENTS**

AIR CIRCULATOR .....	01~11
14 inch Fan .....	12~18
STAND FAN .....	19~22
MINI FAN .....	23~24
BOX FAN .....	25~26
WALL FAN .....	27
INDUSTRIAL FAN .....	28

# AIR CIRCULATOR



TS-96




## PRODUCT SPECIFICATIONS

Model: TS-96 / Humidify Power: 220V-60Hz / Evaporation Power: 40W / Carton Size: 675X230X631mm / 6pcs/carton

# AIR CIRCULATOR



TS-93



## PRODUCT SPECIFICATIONS

Model: TS-93 / Humidify Power: 220V-60Hz / Evaporation Power: 40W / Carton Size: 675X230X631mm / 6pcs/carton

# AIR CIRCULATOR



TS-87




## PRODUCT SPECIFICATIONS

Model: TS-87 / Humidify Power: 220V-60Hz / Evaporation Power: 40W / Carton Size: 675X230X631mm / 6pcs/carton

# AIR CIRCULATOR



TS-83



## PRODUCT SPECIFICATIONS

Model: TS- / Humidify Power: 220V-60Hz / Evaporation Power: 40W / Carton Size: 675X230X631mm / 6pcs/carton

## 12inch AIR CIRCULATOR



TS-17-E

### PRODUCT SPECIFICATIONS

Model: TS-18-E / Humidify Power: 220V~60Hz / Evaporation Power: 40W / Carton Size: 675X230X631mm / 6pcs/carton

## 12inch AIR CIRCULATOR



TS-17-F

### PRODUCT SPECIFICATIONS

Model: TS-18-F / Humidify Power: 220V~60Hz / Evaporation Power: 40W / Carton Size: 675X230X631mm / 6pcs/carton

## AIR CIRCULATOR



TS-18-E

### PRODUCT SPECIFICATIONS

Model: TS-17-E / Humidify Power: 220V~60Hz / Evaporation Power: 40W / Carton Size: 675X230X631mm / 6pcs/carton

## 14inch AIR CIRCULATOR



TS-18-F

### PRODUCT SPECIFICATIONS

Model: TS-17-F / Humidify Power: 220V~60Hz / Evaporation Power: 40W / Carton Size: 675X230X631mm / 6pcs/carton



**TS-97**  
 -Carton: 665x320x715mm  
 -6pcs/CTN  
 -Color Box: 310x215x350mm  
 -3 Speed With Oscillating  
 -Evaporation Power: 40W  
 -N.W./G.W.: 13.2kg / 16.8kg  
 -Approvals:



**TS-97Y**  
 -Carton: 665x320x715mm  
 -6pcs/CTN  
 -Color Box: 310x215x350mm  
 -3 Speed With Oscillating  
 -Evaporation Power: 50W  
 -N.W./G.W.: 13.2kg / 16.8kg  
 -Approvals:



**TS-99**  
 -Carton: 87.5x32x36mm  
 -6pcs/CTN  
 -Color Box: 295x235x355mm  
 -3 Speed With Oscillating  
 -Evaporation Power: 40W  
 -N.W./G.W.: 13.2kg / 16.8kg  
 -Approvals:



**TS-99Y**  
 -Carton: 87.5x32x36mm  
 -6pcs/CTN  
 -Color Box: 295x235x355mm  
 -3 Speed With Oscillating  
 -Evaporation Power: 50W  
 -N.W./G.W.: 13.2kg / 16.8kg  
 -Approvals:



**TS-96**  
 -Carton: 665x320x715mm  
 -6pcs/CTN  
 -Color Box: 310x215x350mm  
 -3 Speed With Oscillating  
 -Evaporation Power: 40W  
 -N.W./G.W.: 13.2kg / 16.8kg  
 -Approvals:



**TS-96Y**  
 -Carton: 665x320x715mm  
 -6pcs/CTN  
 -Color Box: 310x215x350mm  
 -3 Speed With Oscillating  
 -Evaporation Power: 40W  
 -N.W./G.W.: 13.2kg / 16.8kg  
 -Approvals:



**TS-84**  
 -Carton: 665x320x715mm  
 -6pcs/CTN  
 -Color Box: 310x215x350mm  
 -3 Speed With Oscillating  
 -Evaporation Power: 40W  
 -N.W./G.W.: 13.2kg / 16.8kg  
 -Approvals:



**TS-80**  
 -Carton: 570x325x705mm  
 -6pcs/CTN  
 -Color Box: 310x185x345mm  
 -3 Speed With Oscillating  
 -Evaporation Power: 40W  
 -N.W./G.W.: 11.0kg / 14.5kg  
 -Approvals:



**TS-81**  
 -Carton: 57x32.5x72mm  
 -6pcs/CTN  
 -Color Box: 315x185x350mm  
 -Evaporation Power: 40W  
 -N.W./G.W.: 13.2kg / 16.8kg  
 -Approvals:



**TS-82Y**  
 -Carton: 665x320x715mm  
 -6pcs/CTN  
 -Color Box: 310x215x350mm  
 -3 Speed With Oscillating  
 -Evaporation Power: 40W  
 -N.W./G.W.: 13.2kg / 16.8kg  
 -Approvals:



**TS-89**  
 -Carton: 665x320x715mm  
 -6pcs/CTN  
 -Color Box: 310x215x350mm  
 -3 Speed With Oscillating  
 -Evaporation Power: 40W  
 -N.W./G.W.: 13.2kg / 16.8kg  
 -Approvals:



**TS-88**  
 -Carton: 935x410x470mm  
 -4pcs/CTN  
 -Color Box: 345x230x456mm  
 -Evaporation Power: 65W  
 -N.W./G.W.: 13.2kg / 16.8kg  
 -Approvals:

# USB AIR CIRCULATOR

WIRELESS CHARGE FOR PHONE



TS-03

**PRODUCT SPECIFICATIONS**

Model: TS-03 / Humidity Power: 220V-60Hz / Evaporation Power: 40W / Carton Size: 675X230X631mm / 6pcs/carton



**TS-19-F**  
 -Copper motor with silence  
 -60/120/180lmer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ: 1650  
 -Approvals:



**TS-20-E**  
 -Copper motor with silence  
 -60/120/180lmer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ: 1650  
 -Approvals:



**TS-21-E**  
 -Copper motor with silence  
 -60/120/180lmer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ: 1650  
 -Approvals:



**TS-21-F**  
 -Copper motor with silence  
 -60/120/180lmer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ: 1650  
 -Approvals:



**TS-15-C**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 300mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x370mm  
 -40HQ: 1650  
 -Approvals:



**TS-21-C**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 300mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x370mm  
 -40HQ: 1650  
 -Approvals:



**TS-13-A**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.5/4.5kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ: 1650  
 -Approvals:



**TS-13-B**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ: 1650  
 -Approvals:



**TS-21-D**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 300mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x370mm  
 -40HQ: 1650  
 -Approvals:



**TS-11-C**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 300mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x370mm  
 -40HQ: 1650  
 -Approvals:



**TS-13-D**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 300mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x370mm  
 -40HQ: 1650  
 -Approvals:



**TS-13-C**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 300mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x370mm  
 -40HQ: 1650  
 -Approvals:



**TS-19-B**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 300mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x370mm  
 -40HQ/20HQ: 1401/594  
 -Approvals:



**TS-15-B**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.52/4.52kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ/20HQ: 1401/594  
 -Approvals:



**TS-17-C**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 300mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x370mm  
 -40HQ: 1650  
 -Approvals:



**TS-13-C**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 300mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x370mm  
 -40HQ: 1650  
 -Approvals:



**TS-13**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.14/4.14kg  
 -Colour box MEAS: 613x190x420mm  
 -40HQ/20HQ: 1349/572  
 -Approvals:



**TS-15-A**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.4/4.4kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ/20HQ: 1401/594  
 -Approvals:



**TS-17**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.64/4.64kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ/20HQ: 1401/594  
 -Approvals:



**TS-15**  
 -Copper motor with silcence  
 -60/120/180timer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.52/4.52kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ/20HQ: 1401/594  
 -Approvals:



**TS-21-B**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.3/4.9kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ/20HQ: 1401/594  
 -Approvals:



**TS-21**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.71/4.71kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ/20HQ: 1718/728  
 -Approvals:



**TS-21-A**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.15/4.15kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ/20HQ: 1401/594  
 -Approvals:



**TS-19**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 300mm  
 -N.W./G.W.: 3.0/4.0kg  
 -Colour box MEAS: 590x190x370mm  
 -40HQ/20HQ: 1591/679  
 -Approvals:



**TS-11**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.92/4.92kg  
 -Colour box MEAS: 735x195x430mm  
 -40HQ/20HQ: 1070/454  
 -Approvals:



**TS-19-A**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 300mm  
 -N.W./G.W.: 3.4/4.4kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ/20HQ: 1591/675  
 -Approvals:



**TS-17Y**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.4/4.4kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ/20HQ: 1401/594  
 -Approvals:



**TS-17Y-A**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 350mm  
 -N.W./G.W.: 3.3/4.3kg  
 -Colour box MEAS: 590x190x420mm  
 -40HQ/20HQ: 1404/594  
 -Approvals:



**TS-70**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 5.6/6.6kg  
 -Colour box MEAS: 570x205x455mm  
 -40HQ/20HQ: 1241/526  
 -Approvals:



**TS-72**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 6.9/7.8kg  
 -Colour box MEAS: 625x200x455mm  
 -40HQ/20HQ: 1107/569  
 -Approvals:



**TS-73**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 6.25/7.25kg  
 -Colour box MEAS: 600x200x455mm  
 -40HQ/20HQ: 1179/500  
 -Approvals:



**TS-68**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 6.35/7.35kg  
 -Colour box MEAS: 625x200x455mm  
 -40HQ/20HQ: 1160/492  
 -Approvals:



**TS-63**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 6.5/7.5kg  
 -Colour box MEAS: 550x200x455mm  
 -40HQ/20HQ: 1343/569  
 -Approvals:



**TS-63**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 6.5/7.5kg  
 -Colour box MEAS: 550x200x455mm  
 -40HQ/20HQ: 1343/569  
 -Approvals:



**TS-79**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 5.66/6.52kg  
 -Colour box MEAS: 540x200x455mm  
 -40HQ/20HQ: 1343/569  
 -Approvals:



**TS-62**  
 -Copper motor with silencie  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 5.9/6.9kg  
 -Colour box MEAS: 520x190x422mm  
 -40HQ/20HQ: 1582/671  
 -Approvals:



**TS-79Y**  
 -Copper motor with silence  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 5.66/6.52kg  
 -Colour box MEAS: 540x200x455mm  
 -40HQ/20HQ: 1343/569  
 -Approvals:



**TS-68Y**  
 -Copper motor with silence  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 6.67/6.6kg  
 -Colour box MEAS: 605x205x455mm  
 -40HQ/20HQ: 1169/496  
 -Approvals:



**TS-71**  
 -Copper motor with silence  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 5.9/6.9kg  
 -Colour box MEAS: 545x190x455mm  
 -40HQ/20HQ: 1400/594  
 -Approvals:



**TS-65**  
 -Copper motor with silence  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 6.47/4.4kg  
 -Colour box MEAS: 610x205x523mm  
 -40HQ/20HQ: 1009/428  
 -Approvals:



**TS-69Y**  
 -Copper motor with silence  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 6.5/7.5kg  
 -Colour box MEAS: 610x205x455mm  
 -40HQ/20HQ: 1009/428  
 -Approvals:



**TS-63Y**  
 -Copper motor with silence  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 6.5/7.5kg  
 -Colour box MEAS: 610x205x455mm  
 -40HQ/20HQ: 1009/428  
 -Approvals:



**TS-67**  
 -Copper motor with silence  
 -60/120/180timer 3 speeds  
 -Size: 500mm  
 -N.W./G.W.: 6.7/7.7kg  
 -Colour box MEAS: 625x205x565mm  
 -40HQ/20HQ: 911/386  
 -Approvals:



**TS-66**  
 -Copper motor with silence  
 -60/120/180timer 3 speeds  
 -Size: 400mm  
 -N.W./G.W.: 6.5/7.5kg  
 -Colour box MEAS: 555x190x455mm  
 -40HQ/20HQ: 911/386  
 -Approvals:




**TS-O1**  
 -Size: 75mm  
 -Approvals:



**TS-O2**  
 -Size: 80mm  
 -Approvals:



**TS-G-D**  
 -Size: 150mm  
 -N.W./G.W.: 1.2/1.36kg  
 -Colour box MEAS: 227x220x340mm  
 -Carton MEAS: 675x237x700mm  
 -40HQ/20HQ: 3536/1500  
 -Approvals:



**TS-G-C**  
 -Copper motor with silence  
 -Table/Clip/Wallused  
 -Size: 150mm  
 -N.W./G.W.: 1.05/9.4kg  
 -Colour box MEAS: 230x190x345mm  
 -Carton MEAS: 585x237x705mm  
 -40HQ/20HQ: 4085/1733  
 -Approvals:



**TS-G**  
 -Copper motor with silence  
 -Table/Clip/Wallused  
 -Size: 150mm With mirror/Without mirror  
 -N.W./G.W.: 0.9/8.5kg  
 -Colour box MEAS: 230x190x345mm  
 -Carton MEAS: 585x235x705mm  
 -40HQ/20HQ: 4085/1733  
 -Approvals:



**TS-G-B (Oscillation)**  
 -Copper motor with silence  
 -Table/Clip/Wallused  
 -Size: 150mm With mirror/Without mirror  
 -N.W./G.W.: 1.09/9.64kg  
 -Colour box MEAS: 230x190x345mm  
 -Carton MEAS: 585x235x705mm  
 -40HQ/20HQ: 4085/1733  
 -Approvals:



**TS-G-E**  
 -Copper motor with silence  
 -Size: 150mm  
 -N.W./G.W.: 0.82/0.96kg  
 -Colour box MEAS: 250x108x270mm  
 -Carton MEAS: 665x260x560(1X2)  
 -40HQ/20HQ: 8179/3470  
 -Approvals:



**TS-8**  
 -Copper motor with silence  
 -Size: 150mm  
 -N.W./G.W.: 0.89/0.9kg  
 -Colour box MEAS: 268x134x270mm  
 -Carton MEAS: 555x275x555(1X8)  
 -40HQ/20HQ: 6232/2644  
 -Approvals:



**TS-G-A (Oscillation)**  
 -Size: 180mm  
 -N.W./G.W.: 1.09/9.28kg  
 -Colour box MEAS: 220x210x340mm  
 -Carton MEAS: 645x230x695(1X6)  
 -40HQ/20HQ: 3840/1629  
 -Approvals:



**TS-25**  
 -Size: 300mm  
 -N.W./G.W.: 2.21/3.21kg  
 -Colour box MEAS: 470x213x370mm  
 -Approvals:



**TS-27**  
 -Size: 400mm  
 -N.W./G.W.: 3.05/4.05kg  
 -Colour box MEAS: 545x195x455mm  
 -Approvals:



**TS-23**  
 -Size: 400mm  
 -N.W./G.W.: 3.24/4.24kg  
 -Colour box MEAS: 545x195x455mm  
 -Approvals:



**TS-2**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 2.2/14.4kg  
-Colour box MEAS: 365x185x468mm  
-Carton MEAS: 940x370x480mm(1X5)  
-40HQ/20HQ: 176/938  
-Approvals:



**TS-2-A**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 1.96/12.9kg  
-Colour box MEAS: 365x185x433mm  
-Carton MEAS: 945x375x448mm(1X5)  
-40HQ/20HQ: 207/981  
-Approvals:



**TS-16**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 2.2/14.9kg  
-Colour box MEAS: 370x150x407mm  
-Carton MEAS: 765x385x422mm(1X5)  
-40HQ/20HQ: 265/1129  
-Approvals:



**TS-3B**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 12/8.0kg  
-Colour box MEAS: 335x135x455mm  
-Carton MEAS: 685x345x355mm(1X5)  
-40HQ/20HQ: 383/1688  
-Approvals:



**TS-26**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 1.4/8.5kg  
-Colour box MEAS: 360x138x360mm  
-Carton MEAS: 698x370x375mm(1X5)  
-40HQ/20HQ: 340/1445  
-Approvals:



**TS-18-A**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 1.54/9.45kg  
-Colour box MEAS: 350x150x375mm  
-Carton MEAS: 765x360x355mm(1X6)  
-40HQ/20HQ: 311/1320  
-Approvals:



**TS-20-A**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 1.46/9.8kg  
-Colour box MEAS: 335x145x385mm  
-Carton MEAS: 740x345x400mm(1X5)  
-40HQ/20HQ: 320/1361  
-Approvals:



**TS-10**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 2.0/12.7kg  
-Colour box MEAS: 335x150x395mm  
-Carton MEAS: 765x350x410mm(1X5)  
-40HQ/20HQ: 300/1276  
-Approvals:



**TS-20**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 1.44/9.5kg  
-Colour box MEAS: 316x143x370mm  
-Carton MEAS: 730x325x380mm(1X5)  
-40HQ/20HQ: 366/1552  
-Approvals:



**TS-20-B**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 2.0/11.0kg  
-Colour box MEAS: 365x160x425mm  
-Carton MEAS: 655x375x440mm(1X4)  
-40HQ/20HQ: 320/1361  
-Approvals:



**TS-22**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 1.55/11.2kg  
-Colour box MEAS: 360x150x390mm  
-Carton MEAS: 775x370x402mm(1X5)  
-40HQ/20HQ: 286/1214  
-Approvals:



**TS-18**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 2.0/13.2kg  
-Colour box MEAS: 365x160x365mm  
-Carton MEAS: 815x380x380mm(1X5)  
-40HQ/20HQ: 2804/1189  
-Approvals:



**TS-16-A**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 1.99/12.6kg  
-Colour box MEAS: 390x163x355mm  
-Carton MEAS: 835x400x370mm(1X4)  
-40HQ/20HQ: 287/1132  
-Approvals:

**TS-18-A**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 300mm  
-N.W./G.W.: 2.2/11.8kg  
-Colour box MEAS: 383x163x443mm  
-Carton MEAS: 670x366x458mm(1X4)  
-40HQ/20HQ: 217/921  
-Approvals:

**TS-12**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 300mm  
-N.W./G.W.: 2.2/11.8kg  
-Colour box MEAS: 383x163x443mm  
-Carton MEAS: 670x366x458mm(1X4)  
-40HQ/20HQ: 217/921  
-Approvals:



**TS-12-A**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 250mm  
-N.W./G.W.: 1.94/10.76kg  
-Colour box MEAS: 383x163x443mm  
-Carton MEAS: 674x369x453mm(1X4)  
-40HQ/20HQ: 2223/943  
-Approvals:



**TS-28-A**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 300mm  
-N.W./G.W.: 2.22/11.52kg  
-Colour box MEAS: 430x155x430mm  
-Carton MEAS: 635x440x445mm(1X4)  
-40HQ/20HQ: 2123/900  
-Approvals:



**TS-28**  
-Copper motor with silencing  
-60/120/180timer 3 speeds  
-Size: 300mm  
-N.W./G.W.: 2.45/12.8kg  
-Colour box MEAS: 420x200x550mm  
-Carton MEAS: 810x450x560mm(1X4)  
-40HQ/20HQ: 1353/574  
-Approvals:



**TS-30**  
-Size: 400mm  
-N.W./G.W.: 2.85/3.76kg  
-Colour box MEAS: 455x240x455mm  
-Approvals:



**TS-32**  
-Size: 400mm  
-N.W./G.W.: 2.85/3.76kg  
-Colour box MEAS: 455x240x455mm  
-Approvals:



**TS-31**  
-Size: 400mm  
-N.W./G.W.: 2.85/3.76kg  
-Colour box MEAS: 455x240x455mm  
-Approvals:



**TS-33**  
-Size: 450mm  
-N.W./G.W.: 3.09/4.36kg  
-Colour box MEAS: 522x240x520mm  
-Approvals:



**TS-93**  
-Size: 800mm  
-Approvals:



**TS-94**  
-Size: 750mm  
-Approvals:



**TS-90**

Product Features

1. Micro computer program — Soft touch 5 keys and operation mode;
2. Low noise, low power, low energy consumption - energy saving, green and environmental protection;
3. Humanity design;
4. Cleanable water curtain — Easy to instal and demount, for your thorough cleaning and replacement;
5. Drawer-style water tank — Easy to instal and demount, for your thorough cleaning;
6. Humidifying and cooling, make the air clean and refreshing;
7. Wide angle and strong wind;
8. Brake control for left and right, manual control for up and down for your easy use;
9. Smooth castors for easy movement.
10. The airflow could reach a distance of more than 12m.
11. It could cool the room and bring down the room temperature for 4-6°C.